

Menesine ataskaita: 05.2020



	UAB Fortum Klaipeda						sugeneruota: 1.06.2020
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.05	16.303	7.310	4.397	0.000	0.228	0.022	
2.05	18.104	7.276	7.669	0.000	0.281	0.040	
3.05	18.199	7.259	7.118	0.000	0.287	0.028	
4.05	17.433	7.312	3.189	0.000	0.326	0.010	
5.05	16.296	7.264	4.320	0.000	0.364	0.010	
6.05	15.893	7.285	5.263	0.000	0.363	0.018	
7.05	16.615	7.328	3.458	0.000	0.390	0.025	
8.05	17.087	7.281	1.713	0.000	0.447	0.020	
9.05	17.609	7.210	2.438	0.000	0.392	0.036	
10.05	18.101	7.235	3.656	0.000	0.426	0.015	
11.05	17.480	7.225	4.324	0.000	0.447	0.007	
12.05	15.929	7.285	1.660	0.000	0.461	0.010	
13.05	16.532	7.247	2.946	0.000	0.426	0.032	
14.05	17.521	7.306	2.444	0.000	0.457	0.015	
15.05	17.691	7.320	4.254	0.000	0.494	0.027	
16.05	18.300	7.256	2.665	0.000	0.504	0.030	
17.05	18.496	7.274	2.699	0.000	0.741	0.011	
18.05	17.421	7.254	1.521	0.000	0.709	0.038	
19.05	17.054	7.256	3.272	0.000	0.650	0.032	
20.05	16.233	7.272	2.339	0.000	0.702	0.020	
21.05	16.950	7.299	3.360	0.000	0.564	0.023	
22.05	17.262	7.296	4.422	0.000	0.532	0.010	
23.05	17.283	7.316	2.586	0.000	0.549	0.032	
24.05	18.685	7.298	3.384	0.000	0.583	0.020	
25.05	17.263	7.271	2.641	0.000	0.866	1.500	
26.05	16.177	7.299	1.917	0.000	0.642	3.510	
27.05	16.485	7.300	1.846	0.000	0.541	3.359	
28.05	16.230	7.318	3.150	0.000	0.449	3.417	
29.05	16.332	7.285	2.357	0.000	0.620	3.197	
30.05	16.475	7.267	1.926	0.000	0.592	3.183	
31.05	16.825	7.238	4.030	0.000	0.565	3.226	
min	15.893	7.210	1.521	0.000	0.228	0.007	
max	18.685	7.328	7.669	0.000	0.866	3.510	
MMV	17.107	7.279	3.323	0.000	0.503	0.707	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 05.2020



	UAB Fortum Klaipeda						sugeneruota: 1.06.2020
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.05	0.095	0.232	127.623	0.067	0.172	226734.54	
2.05	0.093	0.143	127.684	0.027	0.152	224452.10	
3.05	0.086	0.122	127.555	0.002	0.217	230603.67	
4.05	0.095	0.146	127.056	0.020	0.261	225238.73	
5.05	0.091	0.172	127.529	0.022	0.379	215377.92	
6.05	0.101	0.258	127.613	0.027	0.235	219762.37	
7.05	0.072	0.169	127.724	0.010	0.227	226862.62	
8.05	0.086	0.116	127.645	0.004	0.233	227415.07	
9.05	0.100	0.176	128.005	0.031	0.150	219670.62	
10.05	0.085	0.122	126.880	0.055	0.218	222461.92	
11.05	0.089	0.179	127.721	0.075	0.314	218097.64	
12.05	0.070	0.043	127.441	0.000	0.210	223142.81	
13.05	0.080	0.051	127.626	0.000	0.214	225898.25	
14.05	0.077	0.063	128.035	0.001	0.249	230418.95	
15.05	0.078	0.049	127.176	0.000	0.215	230010.93	
16.05	0.076	0.022	128.168	0.000	0.217	228169.35	
17.05	0.078	0.029	127.689	0.000	0.213	231777.76	
18.05	0.094	0.114	127.738	0.012	0.198	228614.93	
19.05	0.087	0.104	127.319	0.002	0.193	226871.95	
20.05	0.069	0.138	127.876	0.001	0.291	224963.93	
21.05	0.074	0.128	127.743	0.021	0.264	228318.93	
22.05	0.089	0.156	128.032	0.012	0.220	227589.31	
23.05	0.083	0.180	127.635	0.006	0.153	221843.98	
24.05	0.106	0.175	127.884	0.003	0.193	225804.18	
25.05	0.120	0.223	127.555	0.013	0.218	220528.01	
26.05	0.096	0.232	127.403	0.005	0.285	217897.39	
27.05	0.096	0.242	127.699	0.034	0.315	222051.42	
28.05	0.089	0.256	127.192	0.047	0.291	217840.20	
29.05	0.073	0.176	127.857	0.015	0.272	221892.17	
30.05	0.079	0.177	127.669	0.016	0.311	214195.48	
31.05	0.092	0.244	127.757	0.038	0.234	212127.75	
min	0.069	0.022	126.880	0.000	0.150	212127.75	
max	0.120	0.258	128.168	0.075	0.379	231777.76	
MMV	0.087	0.150	127.631	0.018	0.236	223762.29	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 05.2020



	UAB Fortum Klaipeda			sugeneruota: 1.06.2020		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.05	56.113	1017.213	6.800	1003.730	1037.379	4.922
2.05	58.322	1015.157	6.481	1001.657	1004.403	8.565
3.05	58.517	1020.876	6.507	1008.197	993.686	7.807
4.05	57.691	1027.253	6.592	1012.989	1022.599	3.568
5.05	56.262	1023.791	6.875	1009.869	1024.585	4.776
6.05	55.782	1023.894	6.881	1010.586	1009.451	5.890
7.05	56.713	1026.017	6.715	1012.773	1006.232	3.847
8.05	57.283	1027.009	6.658	1013.844	1033.516	1.919
9.05	57.912	1026.267	6.546	1011.760	1039.939	2.715
10.05	58.482	1023.873	6.422	1009.301	1032.015	4.113
11.05	57.538	1010.872	6.575	999.933	1014.766	4.830
12.05	55.772	1018.207	6.955	1005.862	1023.161	1.846
13.05	56.513	1020.679	6.845	1007.957	1018.622	3.293
14.05	57.812	1025.859	6.566	1012.118	1004.345	2.728
15.05	57.957	1024.592	6.493	1011.175	996.424	4.777
16.05	58.684	1022.594	6.350	1009.249	1007.736	2.966
17.05	58.927	1022.852	6.398	1009.603	1037.846	2.984
18.05	57.704	1025.944	6.639	1011.877	1048.014	1.694
19.05	57.289	1025.697	6.693	1011.410	998.978	3.621
20.05	56.335	1030.923	6.898	1017.592	1015.123	2.618
21.05	57.242	1034.127	6.795	1020.576	1026.071	3.770
22.05	57.634	1035.866	6.739	1021.719	1006.889	4.942
23.05	57.629	1034.355	6.629	1019.596	1021.828	2.888
24.05	59.210	1028.682	6.300	1015.620	1025.620	3.776
25.05	93.407	1034.469	6.638	1020.285	1009.719	2.940
26.05	134.532	1042.205	6.822	1028.379	1027.872	2.130
27.05	135.042	1040.409	6.794	1026.932	1045.380	2.058
28.05	134.528	1036.067	6.779	1023.018	1022.598	3.526
29.05	134.859	1035.834	6.835	1023.347	1002.483	2.625
30.05	134.975	1031.806	6.722	1018.831	1016.241	2.164
31.05	135.579	1031.247	6.611	1017.695	1010.791	4.511
min	55.772	1010.872	6.300	999.933	993.686	1.694
max	135.579	1042.205	6.955	1028.379	1048.014	8.565
MMV	73.621	1027.246	6.662	1013.791	1018.849	3.704
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 05.2020



	UAB Fortum Klaipeda						sugeneruota: 1.06.2020
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.05	0.000	0.036	0.158	159.529	0.096	0.245	
2.05	0.000	0.067	0.155	159.605	0.038	0.217	
3.05	0.000	0.047	0.144	159.443	0.002	0.310	
4.05	0.000	0.017	0.158	158.820	0.028	0.372	
5.05	0.000	0.017	0.151	159.412	0.031	0.542	
6.05	0.000	0.030	0.168	159.516	0.039	0.336	
7.05	0.000	0.042	0.120	159.655	0.015	0.325	
8.05	0.000	0.034	0.144	159.556	0.005	0.333	
9.05	0.000	0.061	0.166	160.006	0.045	0.215	
10.05	0.000	0.026	0.142	158.600	0.078	0.311	
11.05	0.000	0.011	0.148	159.651	0.108	0.448	
12.05	0.000	0.017	0.116	159.301	0.000	0.300	
13.05	0.000	0.053	0.134	159.532	0.000	0.306	
14.05	0.000	0.026	0.128	160.043	0.001	0.356	
15.05	0.000	0.046	0.130	158.970	0.000	0.307	
16.05	0.000	0.050	0.126	160.211	0.000	0.310	
17.05	0.000	0.018	0.129	159.611	0.000	0.304	
18.05	0.000	0.064	0.157	159.673	0.017	0.283	
19.05	0.000	0.054	0.145	159.148	0.003	0.276	
20.05	0.000	0.033	0.116	159.845	0.001	0.416	
21.05	0.000	0.038	0.124	159.678	0.031	0.377	
22.05	0.000	0.016	0.148	160.040	0.017	0.314	
23.05	0.000	0.054	0.138	159.543	0.008	0.218	
24.05	0.000	0.034	0.177	159.855	0.004	0.276	
25.05	0.000	2.500	0.199	159.444	0.019	0.311	
26.05	0.000	5.851	0.160	159.253	0.008	0.407	
27.05	0.000	5.598	0.161	159.623	0.048	0.450	
28.05	0.000	5.695	0.148	158.990	0.067	0.415	
29.05	0.000	5.328	0.121	159.821	0.022	0.388	
30.05	0.000	5.304	0.131	159.587	0.022	0.444	
31.05	0.000	5.376	0.154	159.697	0.055	0.334	
min	0.000	0.011	0.116	158.600	0.000	0.215	
max	0.000	5.851	0.199	160.211	0.108	0.542	
MMV	0.000	1.178	0.145	159.538	0.026	0.337	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							