

Menesine ataskaita: 06.2018



	UAB Fortum Klaipeda						sugeneruota: 4.07.2018
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.06	14.986	9.126	5.867	17.941	2.359	4.275	
2.06	-	-	-	-	-	-	
3.06	-	-	-	-	-	-	
4.06	-	-	-	-	-	-	
5.06	-	-	-	-	-	-	
6.06	-	-	-	-	-	-	
7.06	-	-	-	-	-	-	
8.06	-	-	-	-	-	-	
9.06	-	-	-	-	-	-	
10.06	-	-	-	-	-	-	
11.06	-	-	-	-	-	-	
12.06	-	-	-	-	-	-	
13.06	X	-	-	-	-	-	
14.06	X	-	-	-	-	-	
15.06	X	-	-	-	-	-	
16.06	-	-	-	-	-	-	
17.06	-	-	-	-	-	-	
18.06	-	-	-	-	-	-	
19.06	-	-	-	-	-	-	
20.06	-	-	-	-	-	-	
21.06	-	-	-	-	-	-	
22.06	X	-	-	-	-	-	
23.06	X	1.068	X	0.000	0.968	0.000	
24.06	X	9.601	X	3.072	1.854	0.000	
25.06	15.330	16.434	0.293	0.265	1.930	0.000	
26.06	16.710	17.081	1.614	0.000	2.446	0.000	
27.06	17.927	18.001	0.722	0.000	1.505	0.000	
28.06	17.344	18.075	0.909	0.412	0.742	1.015	
29.06	16.448	17.928	6.755	2.065	0.608	5.534	
30.06	17.595	17.971	2.641	1.546	0.522	6.562	
min	14.986	1.068	0.293	0.000	0.522	0.000	
max	17.927	18.075	6.755	17.941	2.446	6.562	
MMV	16.076	15.071	2.269	2.633	1.441	2.051	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 06.2018



	UAB Fortum Klaipeda						sugeneruota: 4.07.2018	
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc		
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h		
1.06	0.056	0.027	135.226	0.340	0.738	149088.17		
2.06	-	-	-	-	-	-		
3.06	-	-	-	-	-	-		
4.06	-	-	-	-	-	-		
5.06	-	-	-	-	-	-		
6.06	-	-	-	-	-	-		
7.06	-	-	-	-	-	-		
8.06	-	-	-	-	-	-		
9.06	-	-	-	-	-	-		
10.06	-	-	-	-	-	-		
11.06	-	-	-	-	-	-		
12.06	-	-	-	-	-	-		
13.06	-	-	-	-	-	-	X	
14.06	-	-	-	-	-	-	X	
15.06	-	-	-	-	-	-	X	
16.06	-	-	-	-	-	-	-	
17.06	-	-	-	-	-	-	-	
18.06	-	-	-	-	-	-	-	
19.06	-	-	-	-	-	-	-	
20.06	-	-	-	-	-	-	-	
21.06	-	-	-	-	-	-	-	
22.06	-	-	-	-	-	-	7210.463	
23.06	0.000	0.046	0.000	0.000	0.000	7030.910		
24.06	0.000	0.043	X	0.000	0.000	148544.37		
25.06	0.000	0.062	88.534	0.000	0.000	204754.04		
26.06	0.000	0.057	88.431	0.000	0.000	208993.81		
27.06	0.000	0.111	88.799	0.000	0.000	214791.64		
28.06	0.012	0.146	97.666	0.105	0.101	211254.35		
29.06	0.063	0.124	134.024	0.455	0.636	210924.12		
30.06	0.063	0.069	134.699	0.422	0.660	213974.07		
min	0.000	0.027	0.000	0.000	0.000	7030.910		
max	0.063	0.146	135.226	0.455	0.738	214791.64		
MMV	0.023	0.080	97.461	0.156	0.244	158612.01		
- = Out of op < = <2/3 M = Maintenance D = >DLV							X = no daily classing S = Fault A = Start-up/shut down	N = No Data

Menesine ataskaita: 06.2018



	UAB Fortum Klaipeda sugeneruota: 4.07.2018					
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.06	142.512	1026.467	9.643	1016.834	1050.783	4.838
2.06	-	-	-	-	-	-
3.06	-	-	-	-	-	-
4.06	-	-	-	-	-	-
5.06	-	-	-	-	-	-
6.06	-	-	-	-	-	-
7.06	-	-	-	-	-	-
8.06	-	-	-	-	-	-
9.06	-	-	-	-	-	-
10.06	-	-	-	-	-	-
11.06	-	-	-	-	-	-
12.06	-	-	-	-	-	-
13.06	X	X	X	X	-	-
14.06	X	X	X	X	-	-
15.06	X	X	X	X	-	-
16.06	-	-	-	-	-	-
17.06	-	-	-	-	-	-
18.06	-	-	-	-	-	-
19.06	-	-	-	-	-	-
20.06	-	-	-	-	-	-
21.06	-	-	-	-	-	-
22.06	24.791	1022.975	13.647	1006.311	-	-
23.06	24.791	1022.976	13.647	1009.694	835.896	X
24.06	116.645	1011.637	9.456	1009.115	940.267	X
25.06	135.032	1020.951	7.153	1011.801	950.735	6.655
26.06	137.604	1029.025	6.726	1019.339	981.717	6.312
27.06	139.868	1034.275	5.710	1024.068	1035.888	5.714
28.06	138.146	1030.048	5.566	1020.304	1042.413	4.074
29.06	137.658	1019.089	5.602	1011.181	1056.541	7.540
30.06	138.526	1021.238	5.462	1013.376	1067.979	2.942
min	24.791	1011.637	5.462	1006.311	835.896	2.942
max	142.512	1034.275	13.647	1024.068	1067.979	7.540
MMV	114.018	1023.842	8.307	1014.318	1006.203	5.116
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 06.2018



	UAB Fortum Klaipeda						sugeneruota: 4.07.2018
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.06	22.426	7.124	0.094	169.032	0.486	1.054	
2.06	-	-	-	-	-	-	
3.06	-	-	-	-	-	-	
4.06	-	-	-	-	-	-	
5.06	-	-	-	-	-	-	
6.06	-	-	-	-	-	-	
7.06	-	-	-	-	-	-	
8.06	-	-	-	-	-	-	
9.06	-	-	-	-	-	-	
10.06	-	-	-	-	-	-	
11.06	-	-	-	-	-	-	
12.06	-	-	-	-	-	-	
13.06	-	-	-	-	-	-	
14.06	-	-	-	-	-	-	
15.06	-	-	-	-	-	-	
16.06	-	-	-	-	-	-	
17.06	-	-	-	-	-	-	
18.06	-	-	-	-	-	-	
19.06	-	-	-	-	-	-	
20.06	-	-	-	-	-	-	
21.06	-	-	-	-	-	-	
22.06	-	-	-	-	-	-	
23.06	0.130	0.613	0.169	0.000	0.346	1.007	
24.06	11.156	0.982	0.125	X	0.512	1.066	
25.06	3.345	2.020	0.097	168.533	0.604	0.960	
26.06	2.290	4.594	0.102	168.431	0.559	0.981	
27.06	2.381	6.304	0.102	168.799	0.630	0.886	
28.06	2.215	8.505	0.104	167.968	0.714	0.937	
29.06	2.581	9.224	0.104	167.529	0.651	0.908	
30.06	1.933	D 10.937	0.105	168.374	0.603	0.942	
min	0.130	0.613	0.094	0.000	0.346	0.886	
max	22.426	D 10.937	0.169	169.032	0.714	1.066	
MMV	5.253	6.004	0.107	152.575	0.587	0.965	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							