

Menesine ataskaita: 06.2019



	UAB Fortum Klaipeda						sugeneruota: 1.07.2019
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.06	17.403	9.066	5.171	0.011	1.584	5.015	
2.06	18.598	8.925	3.622	0.044	1.610	5.046	
3.06	18.584	8.994	5.186	0.011	1.632	4.774	
4.06	18.707	9.039	5.475	0.004	1.645	4.900	
5.06	19.881	9.026	4.120	0.005	1.779	5.500	
6.06	19.179	8.986	9.797	0.029	2.399	4.453	
7.06	18.386	9.084	8.200	0.105	2.006	3.956	
8.06	17.757	9.107	14.323	0.042	1.458	4.115	
9.06	16.530	9.312	5.022	0.211	1.321	5.092	
10.06	1.372	X	X	X	X	X	
11.06	-	-	-	-	-	-	
12.06	-	-	-	-	-	-	
13.06	-	-	-	-	-	-	
14.06	-	-	-	-	-	-	
15.06	-	-	-	-	-	-	
16.06	-	-	-	-	-	-	
17.06	-	-	-	-	-	-	
18.06	-	-	-	-	-	-	
19.06	-	-	-	-	-	-	
20.06	-	-	-	-	-	-	
21.06	-	-	-	-	-	-	
22.06	-	-	-	-	-	-	
23.06	-	-	-	-	-	-	
24.06	-	-	-	-	-	-	
25.06	-	-	-	-	-	-	
26.06	-	-	-	-	-	-	
27.06	-	-	-	-	-	-	
28.06	-	-	-	-	-	-	
29.06	-	-	-	-	-	-	
30.06	-	-	-	-	-	-	
min	1.372	8.925	3.622	0.004	1.321	3.956	
max	19.881	9.312	14.323	0.211	2.399	5.500	
MMV	17.369	9.060	6.746	0.051	1.709	4.751	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 06.2019



	UAB Fortum Klaipeda						sugeneruota: 1.07.2019
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.06	0.120	0.000	127.386	0.589	0.412	183319.51	
2.06	0.136	0.000	127.278	0.686	0.404	187056.43	
3.06	0.111	0.000	126.562	0.603	0.412	187589.73	
4.06	0.124	0.000	127.395	0.643	0.425	183552.25	
5.06	0.117	0.000	127.495	0.657	0.446	179868.75	
6.06	0.124	0.006	126.963	1.096	0.532	179113.93	
7.06	0.112	0.004	127.028	0.963	0.507	183186.23	
8.06	0.118	0.000	127.310	0.635	0.493	167428.18	
9.06	0.126	0.001	127.745	0.568	0.479	157583.70	
10.06	X	X	X	X	X	215524.42	
11.06	-	-	-	-	-	-	
12.06	-	-	-	-	-	-	
13.06	-	-	-	-	-	-	
14.06	-	-	-	-	-	-	
15.06	-	-	-	-	-	-	
16.06	-	-	-	-	-	-	
17.06	-	-	-	-	-	-	
18.06	-	-	-	-	-	-	
19.06	-	-	-	-	-	-	
20.06	-	-	-	-	-	-	
21.06	-	-	-	-	-	-	
22.06	-	-	-	-	-	-	
23.06	-	-	-	-	-	-	
24.06	-	-	-	-	-	-	
25.06	-	-	-	-	-	-	
26.06	-	-	-	-	-	-	
27.06	-	-	-	-	-	-	
28.06	-	-	-	-	-	-	
29.06	-	-	-	-	-	-	
30.06	-	-	-	-	-	-	
min	0.111	0.000	126.562	0.568	0.404	157583.70	
max	0.136	0.006	127.745	1.096	0.532	215524.42	
MMV	0.121	0.001	126.946	0.713	0.456	180832.25	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 06.2019



	UAB Fortum Klaipeda sugeneruota: 1.07.2019					
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.06	104.670	1030.408	7.570	1017.874	1027.532	5.760
2.06	107.722	1026.635	7.033	1015.786	1032.099	4.027
3.06	109.048	1030.172	7.172	1016.924	1022.104	5.801
4.06	108.774	1026.889	7.291	1013.949	1013.587	6.070
5.06	110.485	1025.881	6.966	1013.188	1030.930	4.604
6.06	111.500	1025.652	8.405	1013.441	1034.421	10.821
7.06	109.871	1025.954	8.109	1013.005	1074.944	9.243
8.06	106.353	1026.219	7.855	1014.435	1020.087	16.112
9.06	104.503	1034.212	8.782	1022.563	1036.732	5.753
10.06	84.741	1034.806	X	1022.083	X	X
11.06	-	-	-	-	-	-
12.06	-	-	-	-	-	-
13.06	-	-	-	-	-	-
14.06	-	-	-	-	-	-
15.06	-	-	-	-	-	-
16.06	-	-	-	-	-	-
17.06	-	-	-	-	-	-
18.06	-	-	-	-	-	-
19.06	-	-	-	-	-	-
20.06	-	-	-	-	-	-
21.06	-	-	-	-	-	-
22.06	-	-	-	-	-	-
23.06	-	-	-	-	-	-
24.06	-	-	-	-	-	-
25.06	-	-	-	-	-	-
26.06	-	-	-	-	-	-
27.06	-	-	-	-	-	-
28.06	-	-	-	-	-	-
29.06	-	-	-	-	-	-
30.06	-	-	-	-	-	-
min	84.741	1025.652	6.966	1013.005	1013.587	4.027
max	111.500	1034.806	8.782	1022.563	1074.944	16.112
MMV	106.777	1028.389	7.756	1016.049	1031.678	9.758
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 06.2019



	UAB Fortum Klaipeda						sugeneruota: 1.07.2019
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.06	0.014	8.359	0.200	159.232	0.842	0.588	
2.06	0.055	8.411	0.226	159.097	0.980	0.577	
3.06	0.013	7.957	0.184	158.203	0.862	0.588	
4.06	0.005	8.167	0.206	159.243	0.918	0.607	
5.06	0.007	9.167	0.195	159.368	0.939	0.637	
6.06	0.036	7.422	0.207	158.704	1.566	0.760	
7.06	0.131	6.593	0.187	158.785	1.376	0.724	
8.06	0.053	6.858	0.197	159.137	0.907	0.704	
9.06	0.264	8.487	0.210	159.681	0.811	0.685	
10.06	X	X	X	X	X	X	
11.06	-	-	-	-	-	-	
12.06	-	-	-	-	-	-	
13.06	-	-	-	-	-	-	
14.06	-	-	-	-	-	-	
15.06	-	-	-	-	-	-	
16.06	-	-	-	-	-	-	
17.06	-	-	-	-	-	-	
18.06	-	-	-	-	-	-	
19.06	-	-	-	-	-	-	
20.06	-	-	-	-	-	-	
21.06	-	-	-	-	-	-	
22.06	-	-	-	-	-	-	
23.06	-	-	-	-	-	-	
24.06	-	-	-	-	-	-	
25.06	-	-	-	-	-	-	
26.06	-	-	-	-	-	-	
27.06	-	-	-	-	-	-	
28.06	-	-	-	-	-	-	
29.06	-	-	-	-	-	-	
30.06	-	-	-	-	-	-	
min	0.005	6.593	0.184	158.203	0.811	0.577	
max	0.264	9.167	0.226	159.681	1.566	0.760	
MMV	0.064	7.918	0.201	158.683	1.019	0.651	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							