

Menesine ataskaita: 07.2013



UBA Fortum Klaipeda		sugeneruota: 1.08.2013				
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.
1.07	11.921	5.678	4.871	6.482	1.146	5.560
2.07	X	X	X	X	X	X
3.07	19.122	10.533	3.419	1.865	1.074	6.379
4.07	19.203	10.880	3.617	1.058	1.585	5.631
5.07	19.357	10.663	3.725	0.158	1.652	5.385
6.07	18.998	10.560	3.575	0.846	1.411	5.499
7.07	19.475	10.566	3.639	0.372	0.882	X
8.07	18.642	10.488	3.666	2.089	0.850	X
9.07	18.465	10.328	4.242	0.587	0.736	X
10.07	17.132	10.143	5.691	2.171	0.902	2.615
11.07	16.848	10.159	5.051	0.639	0.711	0.633
12.07	16.996	10.222	5.071	1.960	0.848	X
13.07	17.566	10.556	4.852	2.073	0.694	X
14.07	17.254	10.847	4.277	0.938	0.695	X
15.07	X	X	X	X	X	X
16.07	15.924	10.399	3.573	3.353	0.693	0.637
17.07	16.443	10.395	3.368	4.879	0.926	2.818
18.07	17.246	10.669	4.489	6.798	0.936	2.498
19.07	17.594	10.103	4.616	6.485	3.120	4.500
20.07	18.198	9.942	3.996	3.750	3.936	6.164
21.07	18.998	10.468	3.612	1.994	2.726	4.630
22.07	17.540	10.203	5.291	7.776	1.710	3.333
23.07	18.247	10.125	3.576	8.582	2.180	4.661
24.07	18.547	10.429	4.586	4.104	3.284	4.966
25.07	19.037	10.311	4.102	0.882	4.870	4.556
26.07	18.568	10.521	4.953	4.918	3.935	5.135
27.07	19.422	10.692	4.596	0.921	3.086	5.154
28.07	20.230	10.706	4.593	0.520	3.156	5.094
29.07	20.121	10.863	13.562	4.591	5.037	5.428
30.07	X	X	X	X	X	X
31.07	20.617	11.183	7.205	0.993	1.586	4.050
min	11.921	5.678	3.368	0.158	0.693	0.633
max	20.617	11.183	13.562	8.582	5.037	6.379
MMV	18.112	10.269	4.691	2.865	1.904	4.167
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 07.2013



UBA Fortum Klaipeda		sugeneruota: 1.08.2013					
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.07	0.393	0.000	113.230	2.766	0.163	X	
2.07	X	X	X	X	0.073	128084.87	
3.07	0.561	0.000	128.888	1.528	0.118	159881.25	
4.07	0.604	0.000	126.707	1.997	0.061	155569.50	
5.07	0.905	0.000	127.425	2.444	0.064	155014.76	
6.07	0.903	0.000	139.321	2.586	0.105	152471.53	
7.07	0.925	0.000	136.803	2.566	0.138	151441.15	
8.07	0.843	0.000	138.022	2.521	0.185	149906.57	
9.07	0.850	0.000	141.832	2.674	0.233	153403.35	
10.07	0.739	0.000	121.712	2.263	0.220	156243.31	
11.07	0.813	0.000	123.330	2.084	0.272	157879.81	
12.07	0.889	0.000	125.062	2.211	0.186	157335.21	
13.07	0.973	0.000	131.571	2.040	0.111	159406.98	
14.07	0.880	0.000	116.282	1.887	0.150	157075.07	
15.07	X	X	X	X	0.299	137945.93	
16.07	D	1.020	0.005	148.015	2.078	0.157	162679.42
17.07		0.935	0.001	162.034	4.147	0.166	158459.15
18.07		0.771	0.000	139.661	3.156	0.188	161657.87
19.07		0.719	0.000	165.128	2.622	0.160	165141.17
20.07		0.657	0.000	168.619	3.179	0.119	170232.48
21.07		0.778	0.000	169.441	3.082	0.157	168980.23
22.07		0.787	0.000	161.480	2.671	0.244	156333.89
23.07		0.728	0.000	174.502	2.351	0.116	167006.51
24.07		0.588	0.000	161.776	2.573	0.154	173325.67
25.07		0.571	0.000	169.956	2.815	0.112	170297.53
26.07		0.671	0.000	163.655	2.898	0.079	170319.35
27.07		0.724	0.000	163.586	3.035	0.141	176951.79
28.07		0.772	0.000	166.792	3.331	0.139	178655.89
29.07		0.751	0.119	159.278	3.272	0.132	157588.39
30.07		X	X	X	X	0.108	161522.95
31.07		0.004	0.000	150.987	1.023	0.087	170314.26
min		0.004	0.000	113.230	1.023	0.061	128084.87
max	D	1.020	0.119	174.502	4.147	0.299	178655.89
MMV		0.732	0.004	145.059	2.542	0.150	158607.21
- = Out of op < = <2/3 M = Maintenance D = >DLV X = no daily classing S = Fault A = Start-up/shut down N = No Data							

Menesine ataskaita: 07.2013



	UBA Fortum Klaipeda				sugeneruota: 1.08.2013	
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc		
Diena	°C	mbar	Vol%	mbar		
1.07	135.087	1006.994	11.660	1010.219		
2.07	125.223	1002.883	X	1006.609		
3.07	123.124	1012.254	6.743	1014.223		
4.07	139.398	1014.878	6.640	1016.386		
5.07	138.248	1017.270	6.693	1020.343		
6.07	129.078	1021.197	6.734	1024.090		
7.07	113.513	1024.051	6.808	1026.422		
8.07	113.313	1022.057	6.941	1024.161		
9.07	91.890	1018.662	7.027	1021.515		
10.07	75.025	1008.226	7.396	1010.548		
11.07	56.379	1007.387	7.487	1009.350		
12.07	73.898	1008.820	7.420	1011.023		
13.07	57.191	1009.236	7.023	1011.203		
14.07	56.753	1007.780	6.922	1009.772		
15.07	67.551	1008.527	X	1000.581		
16.07	55.695	1011.324	6.856	1013.208		
17.07	76.733	1014.057	6.879	1015.532		
18.07	69.704	1014.309	7.024	1016.167		
19.07	109.053	1006.800	7.244	1009.527		
20.07	140.069	1011.522	7.244	1014.326		
21.07	140.725	1012.388	6.717	1015.096		
22.07	111.007	1011.319	7.224	1014.058		
23.07	139.635	1005.903	7.057	1008.945		
24.07	140.387	1007.950	6.930	1010.444		
25.07	141.136	1010.504	6.959	1012.510		
26.07	140.005	1010.888	6.694	1012.768		
27.07	141.536	1009.897	6.423	1011.651		
28.07	143.143	1010.771	6.286	1011.915		
29.07	141.866	1008.792	6.204	1010.303		
30.07	141.759	1001.026	X	1004.324		
31.07	142.252	1007.367	6.343	1010.115		
min	55.695	1001.026	6.204	1000.581		
max	143.143	1024.051	11.660	1026.422		
MMV	111.948	1011.130	7.090	1013.140		
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						