

Menesine ataskaita: 04.2018



	UAB Fortum Klaipeda						sugeneruota: 1.05.2018
	KLAIP_L1 H2O Day_Conc	KLAIP_L1 CO2 Day_Conc	KLAIP_L1 CO Day_Conc	KLAIP_L1 SO2 Day_Conc	KLAIP_L1 NH3 Day_Conc	KLAIP_L1 HCL Day_Conc	
Diena	Vol%	Vol%	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.04	7.611	8.924	5.995	3.561	0.000	0.271	
2.04	7.812	8.874	7.742	5.631	0.000	0.262	
3.04	7.593	8.901	6.191	2.434	0.000	0.283	
4.04	9.763	8.921	6.417	1.267	0.000	0.391	
5.04	8.740	8.958	6.020	1.339	0.000	0.341	
6.04	7.700	8.950	5.516	6.622	0.000	0.292	
7.04	8.683	9.069	4.999	17.192	0.000	0.318	
8.04	12.593	9.118	3.679	7.489	0.000	0.390	
9.04	17.718	9.151	5.456	8.596	0.000	0.395	
10.04	14.827	9.018	8.718	16.410	0.000	0.352	
11.04	15.058	8.628	3.347	19.269	0.000	2.276	
12.04	18.387	8.679	3.659	9.745	0.000	7.883	
13.04	19.880	8.994	5.546	7.384	0.000	8.839	
14.04	19.688	9.224	5.099	10.923	0.001	8.244	
15.04	19.739	9.225	2.937	10.223	0.000	7.988	
16.04	19.756	9.131	4.205	9.568	0.000	8.378	
17.04	18.671	9.112	5.134	17.943	0.001	7.464	
18.04	18.669	9.010	6.046	3.499	0.000	8.622	
19.04	18.960	9.095	5.158	1.046	0.000	7.060	
20.04	19.046	9.041	9.621	1.976	0.000	7.940	
21.04	19.722	8.765	37.449	16.561	0.439	7.667	
22.04	X	-	-	-	-	-	
23.04	-	-	-	-	-	-	
24.04	-	-	-	-	-	-	
25.04	-	-	-	-	-	-	
26.04	-	-	-	-	-	-	
27.04	11.071	8.746	21.425	1.553	2.550	3.419	
28.04	18.832	8.857	4.567	1.349	0.404	3.768	
29.04	19.404	8.816	4.412	2.243	0.080	6.109	
30.04	19.394	8.751	4.281	2.245	0.053	6.936	
min	7.593	8.628	2.937	1.046	0.000	0.262	
max	19.880	9.225	37.449	19.269	2.550	8.839	
MMV	15.217	8.965	6.866	7.565	0.076	4.252	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 04.2018



	UAB Fortum Klaipeda						sugeneruota: 1.05.2018
	KLAIP_L1 HF Day_Conc	KLAIP_L1 CH4 Day_Conc	KLAIP_L1 NOx Day_Conc	KLAIP_L1 TOC Day_Conc	KLAIP_L1 DULKES Day_Conc	KLAIP_L1 SRAUTAS Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	Nm3/h	
1.04	0.076	0.000	169.482	0.260	0.738	189383.92	
2.04	0.076	0.001	169.568	0.280	0.692	189744.92	
3.04	0.077	0.000	169.158	0.204	0.708	190227.93	
4.04	0.081	0.005	169.555	0.290	0.667	192733.17	
5.04	0.079	0.000	169.479	0.379	0.796	194169.98	
6.04	0.076	0.000	169.410	0.310	0.808	191829.50	
7.04	0.079	0.000	168.945	0.266	0.723	191641.25	
8.04	0.090	0.017	169.148	0.361	0.685	193148.85	
9.04	0.096	0.029	168.537	0.528	0.824	194668.31	
10.04	0.085	0.002	169.630	0.437	0.851	191902.85	
11.04	0.083	0.000	169.538	0.350	0.857	202260.42	
12.04	0.086	0.000	169.052	0.343	0.989	209055.31	
13.04	0.089	0.010	168.953	0.364	1.070	198835.70	
14.04	0.092	0.021	169.160	0.504	1.042	186567.17	
15.04	0.095	0.006	168.536	0.489	1.032	194965.45	
16.04	0.095	0.008	168.992	0.569	1.200	185674.50	
17.04	0.092	0.002	169.577	0.411	1.118	190814.07	
18.04	0.090	0.000	168.863	0.338	1.050	197368.82	
19.04	0.092	0.001	169.067	0.421	1.055	196106.76	
20.04	0.092	0.025	169.296	0.515	0.873	195755.32	
21.04	0.095	0.575	190.923	0.899	1.210	186680.37	
22.04	-	-	-	-	-	X	
23.04	-	-	-	-	-	-	
24.04	-	-	-	-	-	-	
25.04	-	-	-	-	-	-	
26.04	-	-	-	-	-	-	
27.04	0.165	0.003	169.908	0.359	0.840	110637.09	
28.04	0.101	0.001	170.186	0.385	0.975	202611.60	
29.04	0.093	0.031	169.159	0.401	0.976	207834.25	
30.04	0.096	0.055	169.529	0.498	1.005	208122.67	
min	0.076	0.000	168.536	0.204	0.667	110637.09	
max	0.165	0.575	190.923	0.899	1.210	209055.31	
MMV	0.089	0.031	170.082	0.406	0.912	192145.40	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							

Menesine ataskaita: 04.2018



	UAB Fortum Klaipeda			sugeneruota: 1.05.2018		
	KLAIP_L1 Kamino_T Day_Conc	KLAIP_L1 Kamino_P Day_Conc	KLAIP_L1 O2 Day_Conc	KLAIP_L1 Atmosf_P Day_Conc	KLAIP_L1 Degimo_T Day_Conc	KLAIP_L1 CO_10Min Day_Conc
Diena	°C	mbar	Vol%	mbar	°C	Nm3/h
1.04	41.321	1001.701	6.365	994.215	984.574	6.004
2.04	41.790	1001.875	6.349	994.317	988.308	7.738
3.04	41.407	1014.594	6.388	1005.937	1039.899	6.211
4.04	45.222	1015.209	6.389	1004.651	1025.138	6.411
5.04	43.809	1010.290	6.480	1001.948	1024.624	6.055
6.04	41.662	1017.646	6.403	1011.455	1023.119	5.545
7.04	43.855	1031.826	6.575	1023.020	1038.202	4.974
8.04	50.251	1025.465	6.485	1015.604	1062.986	3.679
9.04	57.523	1015.078	6.793	1006.676	1047.335	5.476
10.04	53.285	1016.923	6.609	1010.758	1031.181	8.524
11.04	77.216	1023.862	6.081	1017.997	1071.902	3.347
12.04	143.665	1024.779	6.068	1017.427	1087.011	3.656
13.04	146.429	1025.284	6.200	1017.268	1055.675	5.563
14.04	145.032	1025.470	6.609	1016.952	1048.899	5.106
15.04	145.261	1024.813	6.659	1016.771	1087.778	2.938
16.04	145.443	1018.384	6.605	1010.645	1079.981	4.216
17.04	144.364	1021.259	6.711	1015.694	1062.578	5.164
18.04	143.885	1030.529	6.741	1023.887	1060.225	6.056
19.04	114.848	1033.113	7.030	1024.999	1045.769	5.154
20.04	118.321	1030.300	6.646	1021.747	1050.638	9.677
21.04	121.361	1016.074	7.337	1009.124	991.186	D 61.518
22.04	X	X	X	X	-	-
23.04	-	-	-	-	-	-
24.04	-	-	-	-	-	-
25.04	-	-	-	-	-	-
26.04	-	-	-	-	-	-
27.04	117.987	1020.210	12.119	1012.134	993.264	21.835
28.04	142.835	1021.518	6.512	1012.399	1054.095	4.578
29.04	144.397	1018.835	6.243	1010.250	1073.095	4.427
30.04	144.589	1013.699	6.193	1005.250	1067.951	4.297
min	41.321	1001.701	6.068	994.215	984.574	2.938
max	146.429	1033.113	12.119	1024.999	1087.778	D 61.518
MMV	98.076	1019.942	6.710	1012.042	1045.343	7.826
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down						

Menesine ataskaita: 04.2018



	UAB Fortum Klaipeda						sugeneruota: 1.05.2018
	KLAIP_L1 SO2_97% Day_Conc	KLAIP_L1 HCL_97% Day_Conc	KLAIP_L1 HF_97% Day_Conc	KLAIP_L1 NOx_97% Day_Conc	KLAIP_L1 TOC_97% Day_Conc	KLAIP_L1 DULKES_97% Day_Conc	
Diena	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	mg/m3iN.	
1.04	3.561	0.271	0.076	169.482	0.260	0.738	
2.04	5.631	0.262	0.076	169.568	0.280	0.692	
3.04	2.434	0.283	0.077	169.158	0.204	0.708	
4.04	1.267	0.391	0.081	169.555	0.290	0.667	
5.04	1.339	0.341	0.079	169.479	0.379	0.796	
6.04	6.622	0.292	0.076	169.410	0.310	0.808	
7.04	17.192	0.318	0.079	168.945	0.266	0.723	
8.04	7.489	0.390	0.090	169.148	0.361	0.685	
9.04	8.596	0.395	0.096	168.537	0.528	0.824	
10.04	16.410	0.352	0.085	169.630	0.437	0.851	
11.04	19.269	2.276	0.083	169.538	0.350	0.857	
12.04	9.745	7.883	0.086	169.052	0.343	0.989	
13.04	7.384	8.839	0.089	168.953	0.364	1.070	
14.04	10.923	8.244	0.092	169.160	0.504	1.042	
15.04	10.223	7.988	0.095	168.536	0.489	1.032	
16.04	9.568	8.378	0.095	168.992	0.569	1.200	
17.04	17.943	7.464	0.092	169.577	0.411	1.118	
18.04	3.499	8.622	0.090	168.863	0.338	1.050	
19.04	1.046	7.060	0.092	169.067	0.421	1.055	
20.04	1.976	7.940	0.092	169.296	0.515	0.873	
21.04	16.561	7.667	0.095	190.923	0.899	1.210	
22.04	-	-	-	-	-	-	
23.04	-	-	-	-	-	-	
24.04	-	-	-	-	-	-	
25.04	-	-	-	-	-	-	
26.04	-	-	-	-	-	-	
27.04	1.553	3.419	0.165	169.908	0.359	0.840	
28.04	1.349	3.768	0.101	170.186	0.385	0.975	
29.04	2.243	6.109	0.093	169.159	0.401	0.976	
30.04	2.245	6.936	0.096	169.529	0.498	1.005	
min	1.046	0.262	0.076	168.536	0.204	0.667	
max	19.269	8.839	0.165	190.923	0.899	1.210	
MMV	7.565	4.252	0.089	170.082	0.406	0.912	
- = Out of op < = <2/3 X = no daily classing N = No Data M = Maintenance S = Fault D = >DLV A = Start-up/shut down							